

# Granville FS-PX 0W/30

1 Litre, 5 Litre, 20 Litre & 199 Litre

## PRODUCT DESCRIPTION

Granville FS-PX 0W/30 is a fully synthetic mid-SAPS engine oil specially formulated to meet the very latest specifications and fuel efficiency targets required by Peugeot/Citroen power units including Blue HDi and Pure Tech engine types. Suitable for use in Petrol and Diesel engines where specified.

## RECOMMENDED FOR USE BY GRANVILLE FOR THE FOLLOWING MANUFACTURER'S SPECIFICATIONS

ACEA: C2

PSA: B71 2312



\* Image for illustrative purposes only.

## PRODUCT BENEFITS

- \* Fully synthetic
- \* Reduces fuel consumption
- \* Stable lubricant film at high temperatures
- \* Suitable for extended oil drain intervals

## PRODUCT USAGE

For use in engines where this viscosity and specification is required including petrol and diesel engines including those fitted with three way catalysts and diesel particulate filters.

## DIRECTIONS FOR USE

Use as per the engine manufacturers recommendations

## STORAGE INSTRUCTIONS

Store sealed and upright in a cool dry place out of the reach of children



**Granville Oil & Chemicals Ltd.**

29 Goldthorpe Ind. Est., Goldthorpe, Rotherham, S63 9BL ENGLAND

Tel: +44 (0)1709 890099 • [www.granvilleoil.com](http://www.granvilleoil.com)

# Granville FS-PX 0W/30

1 Litre, 5 Litre, 20 Litre & 199 Litre

## SHELF LIFE

5 years from date of manufacture

**Appearance** : Clear amber liquid

**Odour** : Characteristic

**Solubility** : Insoluble in water

**Percentage of Biodiesel** : Nil

| Test                         | Method     | Unit               | Min. | Max.  | Typical |
|------------------------------|------------|--------------------|------|-------|---------|
| Kinematic Viscosity at 100°C | ASTM D445  | mm <sup>2</sup> /s | 9.3  | <12.5 | 9.76    |
| Cold Cranking Viscosity      | ASTM D4684 | mPa.s              |      | 6200  |         |
| Total Base Number            | ASTM D2896 | mg KOH/g           | 6    |       | 8.46    |
| Pour Point                   | ASTM D97   | °C                 |      | -35   |         |
| HTHS Viscosity               | ASTM D4683 | mPa.s              | 2.9  |       |         |
| NOACK Volatility             | ASTM D5800 | %                  |      | 13    |         |
| Kinematic Viscosity at 40°C  | ASTM D445  | mm <sup>2</sup> /s |      |       | 52.22   |
| Density                      | ASTM D792  | @ 15°C             |      |       | 0.847   |

## SAFETY PRECAUTIONS

Please see our latest EC Safety Data Sheets for details.

## TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

