

TECHNICAL DATA

Granville FS-FX OW/30

1 Litre, 5 Litre, 20 Litre & 199 Litre

PRODUCT DESCRIPTION

Granville FS-FX 0W/30 is a fully synthetic Mid SAPS engine oil specifically formulated to meet the requirements of the new generation Ford Dura Torq engines (2014>).

This Mid SAPS formulation is also suitable for certain Alfa Romeo, Fiat, Hyundai, Jeep, Kia, Suzuki and Toyota engines where specified

RECOMMENDED FOR USE BY GRANVILLE FOR THE FOLLOWING MANUFACTURER'S SPECIFICATIONS

ACEA: C2

Ford: WSS-M2C950-A

Fiat: 9.55535-DS1 & 9.55535-GS1

STJLR: .03.5007 BMW: LL-12 FE

PRODUCT BENEFITS

- * Especially formulated for certain Ford engines
- * Mid SAPS formulation
- * Excellent wear and corrosion protection
- * Superior fuel efficiency



* Image for illustrative purposes only.

| SIZE | PART NO | BARCODE |
|-----------|---------|---------------|
| 1 Litre | 0865 | 5020618008651 |
| 5 Litre | 0866 | 5020618008668 |
| 20 Litre | 0867 | 5020618008675 |
| 199 Litre | 0872 | 5020618008729 |

PRODUCT USAGE

For engines fitted with exhaust after treatment devices where this grade and specification is recommended

DIRECTIONS FOR USE

Revision: 3 | Date: 22/03/2024

Use as per the vehicle manufacturers recommendations





TECHNICAL DATA

Granville FS-FX OW/30

1 Litre, 5 Litre, 20 Litre & 199 Litre

STORAGE INSTRUCTIONS

Store sealed and upright in a cool dry place, out of the reach of children

SHELF LIFE

5 years from date of manufacture.

Appearance : Amber liquid

Odour : Characteristic

Solubility : Insoluble in water

Percentage of Biodiesel : Nil

| Test | Method | Unit | Min. | Max. | Typical |
|----------------------------|------------|----------|------|-------|---------|
| Viscosity, Kinematic 100°c | ASTM D445 | mm²/s | 9.3 | <12.5 | 10.6 |
| Viscosity, CCS -35°c | ASTM D4684 | mPa.s | | 6200 | |
| Total Base Number | ASTM D2896 | mg KOH/g | 7 | | 9.8 |
| HTHS Viscosity | ASTM D4683 | mPa.s | 2.9 | <3.5 | |
| NOACK Volatility | ASTM D5800 | % | | 11 | |
| Viscosity, Kinematic 40°c | ASTM D445 | mm²/s | | | 60.4 |
| Density | ASTM D792 | @ 15°c | | | 0.85 |
| Viscosity Index | ASTM D2270 | | | | 169 |

SAFETY PRECAUTIONS

Revision: 3 | Date: 22/03/2024

Please see our latest EC Safety Data Sheets for details.

TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

