

LHM Plus

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name LHM Plus
Product code 1806

Unique Formula Identifier (UFI) NFK0-Q037-500Y-M5WP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)Not known.Uses Advised AgainstNot known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd Address of Manufacturer 29 Goldthorpe Ind. Est.,

Goldthorpe, Rotherham, South Yorkshire,

Postal code S63 9BL

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

Supplier

Company Identification Veedol Deutschland GmbH
Address of Supplier Hans-Böckler-Straße 10

Langenfeld, Germany

Postal code 40764

Telephone: +49 (0) 2173 893 30 30

Fax Not known.

E-mail lab@granvilleoil.com

Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099

Contact Granville Lab

National response centre

Address NHS Direct Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture



LHM Plus

Regulation (EC) No. 1272/2008 (CLP) Asp. Tox. 1 :May be fatal if swallowed and enters airways.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name LHM Plus

Contains Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-basedBaseoil.

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard Pictogram(s)

Signal Word(s) Danger

Hazard Statement(s) H304: May be fatal if swallowed and enters airways.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI) NFK0-Q037-500Y-M5WP

2.3 Other hazards

This product contains: 128-37-0 (Endocrine disrupting properties)

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Lubricating oils (petroleum), C15-30,	72623-86-0	276-737-9	49-51	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-basedBaseoil					



LHM Plus

Hydrocarbons, C14-C18, n-alkanes,		927-632-8	32-34	Asp. Tox. 1 H304	GHS08
isoalkanes, cyclics, <2% aromatics		52. 552 5	02 0 .		0.1000
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-		800-172-4	1.00	Aquatic Chronic 2 H411	GHS09
isoalkyloxy) derivs., C10-rich		01-	1.00	Aquatic Chronic 2 H411	GUSUA
Isoaikyioxy) derivs., C10-fich		2119969520-			
		35			
Oxydipropyl dibenzoate	27138-31-4	248-258-5	<0.5	Aquatic Chronic 3 H412	None
Oxydipropyi diberizoate	27 130-31-4	01-	~ 0.3	Aquatic Chronic 3 11412	None
		2119529241-			
		49- XXXX			
2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4	<0.5	Aquatic Acute 1 H400	GHS09
2,0-di-tert-butyi-p-cresor	120-37-0	01-	~0.5	Aquatic Chronic 1 H410	G11309
		2119480433-		Aquatic Chronic 1 11410	
		40- XXXX			
Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9	<0.1	Skin Sens. 1B H317	GHS07
Cultorite acids, petroleum, calcium saits	01709-00-4	01-	30.1	OMITOGIO. ID 11017	011001
		2119488992-			
		18- XXXX			
Benzenesulfonic acid, C10-16-alkyl derivs.,	68584-23-6	271-529-4	<0.1	Skin Sens. 1B H317	GHS07
calcium salts	00304-20-0	01-	30.1	OKITOCIIS. IB TIOTI	011007
Saloram Salto		2119492627-			
		25- XXXX			
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	276-763-0	<0.1	Skin Sens. 1 H317	GHS07
0,0 antinodi 1,0,4 tiliadia2010 2(011) tiliono	72070 00 2	01-	-0.1	Aquatic Chronic 2 H411	GHS09
		2120119820-		1 1444410 011101110 2 11111	0.1000
		64- XXXX			
Naphtha (petroleum), hydrotreated heavyLow	64742-48-9	265-150-3	<0.01	Asp. Tox. 1 H304	GHS08
boiling point hydrogen treated naphtha[A		01-			
complex combination of hydrocarbons		2119486659-			
obtained by treating a petroleum fraction with		16- XXXX			
hydrogen in the presence of a catalyst. It					
consists of hydrocarbons having carbon					
numbers predominantly in the range of C6					
through C13 and boiling in the range of					
approximately 65°C to 230°C (149°F to					
446°F).]					
Solvent naphtha (petroleum), heavy arom.;	64742-94-5	265-198-5	<0.01	Asp. Tox. 1 H304	GHS08
Kerosine - unspecified[A complex combination				STOT SE 3 H336	GHS07
of hydrocarbons obtained from distillation of				Aquatic Chronic 2 H411	GHS09
aromatic streams. It consists predominantly of					
aromatic hydrocarbons having carbon					
numbers predominantly in the range of C9					
through C16 and boiling in the range of					
approximately 165 °C to 290 °C (330 °F to 554					
°F).]					



LHM Plus

(2-methoxymethylethoxy)propanol	34590-94-8	252-104-2	<0.01	Not classified	None
naphthalene	91-20-3	202-049-5	<0.01	Acute Tox. 4 H302	GHS08
				Carc. 2 H351	GHS07
				Aquatic Acute 1 H400	GHS09
				Aquatic Chronic 1 H410	

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-	ATE
				factor	
Sulfonic acids, petroleum, calcium salts	61789-86-4	Skin Sens. 1B	C>= 10.00 <= 100.00		
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	Skin Sens. 1B	C>= 10.00 <= 100.00		
naphthalene	91-20-3				Acute Tox. 4 (H302) : 500

Contains no non-classified vPvB substances.

Contains a non-classified substance with a Union workplace exposure limit. (2-methoxymethylethoxy) propanol (34590-94-8) For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media Foam, CO2 or dry Powder

Unsuitable extinguishing media Do not use water.

5.2 Special hazards arising from the substance or mixture

Granville

Date of Revision: 01-03-2023

LHM Plus

May decompose in a fire giving off toxic fumes.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

 $\label{provide} \mbox{Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face}$

protection.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

7.2 Conditions for safe storage, including any incompatibilities

Store locked up.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
2,6-Di-tert-butyl-p-cresol	128-37-0		10			



LHM Plus

(2-methoxymethylethoxy)	34590-94-8	50	308		Sk
propanol					

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

toxicity.

Biological Exposure Indices							
Substances	CAS	Sampling	Tissues	Control	Biological monitoring guidance	Comments	
	Number			parameters	value		
Polycyclic aromatic hydrocarbons	91-20-3	Post shift	urine	1-hydroxypyrene	4 μmol 1-hydroxypyrene/mol		
(PAHs)					creatinine		

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour Green.

Odour Characteristic odour

Melting point/freezing point Not known.



LHM Plus

Boiling point or initial boiling point and

boiling range

Flammability Not known. Not known. Lower and upper explosion limit 164°C Flash Point Auto-ignition temperature Not known. **Decomposition Temperature** Not known. рΗ Not known.

Kinematic Viscosity =20 mm²/s 40 °C

Solubility Solubility (Water): Insoluble

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log

value)

Not known.

Not known.

Vapour pressure Not known.

0.839 @15.6 deg C Density and/or relative density

Relative vapour density Not known. Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 1000000

Acute toxicity - Skin Contact Calculation method: Not classified. Acute toxicity - Inhalation Calculation method: Not classified. Skin corrosion/irritation Calculation method: Not classified.



LHM Plus

Serious eye damage/irritation Calculation method: Not classified. Calculation method: Not classified. Skin sensitization data Respiratory sensitization data Calculation method: Not classified. Calculation method: Not classified. Germ cell mutagenicity Carcinogenicity Calculation method: Not classified. Calculation method: Not classified. Reproductive toxicity Lactation Calculation method: Not classified. STOT - single exposure Calculation method: Not classified. STOT - repeated exposure Calculation method: Not classified.

Aspiration hazard Calculation method: May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties: List II: Substances under evaluation for endocrine

disruption under an EU legislation 128-37-0 (Human health)

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point.

Dispose at suitable refuse site.

13.2 Additional Information



LHM Plus

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Mutagens: category 1B (64742-48-9), Carcinogens: category 1B (72623-86-0), Polycyclic-aromatic hydrocarbons (PAH) (91-20-3), Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (), Oxydipropyl dibenzoate (27138-31-4), 2,6-di-tert-butyl-p-cresol (128-37-0), Sulfonic acids, petroleum, calcium salts (61789-86-4), Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6), 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione (72676-55-2), Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics (), Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified[A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165 °C to 290 °C (330 °F to 554 °F).] (64742-94-5)

Community Rolling Action Plan (CoRAP) oxydipropyl dibenzoate (27138-31-4), 2,6-di-tert-butyl-p-cresol (128-37-0),

(27.136-3.1-4), (2.00-3.1-4), (2.00-3.1-4), (2.00-3.1-4)

naphthalene (91-20-3)





LHM Plus

Regulation (EU) N° 2019/1021 of the

Polycyclic aromatic hydrocarbons (PAHs) (91-20-3)

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



Not listed

GHS07: GHS: Exclamation mark

GHS09: GHS: Environment

Hazard classification Acute Tox. 4 : Acute toxicity, Category 4

Asp. Tox. 1: Aspiration hazard, Category 1

Skin Sens. 1: Skin sensitization, Category 1

Skin Sens. 1B: Skin sensitization, Category 1B

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Carc. 2: Carcinogenicity, Category 2

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s) H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.





LHM Plus

H317: May cause an allergic skin reaction.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.