

according to 1907/2006/EC, Article 31

Page 1/9

Printing date 05.01.2023 Revision: 05.01.2023 Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Gold & Silver Polish
- UFI: KVX2-R09T-500P-MPQG
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture

Polishing agent/ Burnishing compound

Cleaning agent/ Cleaner

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22

42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795

www.autosol.de

Further information obtainable from:

Department Product Safety

labor@autosol.de

· 1.4 Emergency telephone number:

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: German & English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local regulations.

Additional information:

Keep out of reach of children.

Contains octadecane-1-thiol. May produce an allergic reaction.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Page 2/9 Printing date 05.01.2023

Revision: 05.01.2023 Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
EC number: 920-750-0	Naphtha (petroleum), hydrotreated light		
Reg.nr.: 01-2119473851-33-xxxx	♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H336		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics,	1-<10%	
Reg.nr.: 01-2119457273-39-xxxx	<2%		
	aromatics		
	♦ Asp. Tox. 1, H304, EUH066		
EC number: 926-141-6	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics,	1-<10%	
Reg.nr.: 01-2119456620-43-xxxx	xxxx <2% aromatics		
	♦ Asp. Tox. 1, H304		
CAS: 64-17-5	ethanol	1-<10%	
EINECS: 200-578-6	Flam. Liq. 2, H225;		
Reg.nr.: 01-2119457610-43-xxxx	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %		
EC number: 918-811-1	Hydrocarbons, C10, aromatics, <1% naphthalene	1-<10%	
Reg.nr.: 01-2119463583-34-xxxx	 ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H336, EUH066 	1	
	↑ STOT SE 3, H336, EUH066		

Regulation (EC) No 648/2004 on detergents / Labelling for contents		
aliphatic hydrocarbons	≥30%	
soap	≥5 - <15%	
aromatic hydrocarbons	<5%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 05.01.2023 Revision: 05.01.2023 Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 2)

Page 3/9

· 4.3 Indication of any immediate medical attention and special treatment needed. No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

- GB -



according to 1907/2006/EC, Article 31

Page 4/9 Printing date 05.01.2023

Revision: 05.01.2023

Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

EU HSPA Long-term value: 1200 mg/m³

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

Solvent resistant gloves

Alkaline resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.5 \text{ mm}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Colour:

· Odour: Characteristic
· Odour threshold: Not determine

Not determined.

Light beige

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Page 5/9

Printing date 05.01.2023 Revision: 05.01.2023 Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

	(Contd. of page 4)		
· Melting point/freezing point: Undetermined			
· Boiling point or initial boiling point and boiling			
range Undetermined			
Flammability Not applicable	9.		
· Lower and upper explosion limit			
· Lower: Not determine			
· Upper: Not determine	ed.		
Flash point: >65 °C			
Decomposition temperature: Not determine	ed.		
pH at 20 °C 9.2			
Viscosity:			
Kinematic viscosity at 40 °C 21 mm ² /s			
Dynamic: Not determine	ed.		
Solubility			
water: Partly miscible			
Partition coefficient n-octanol/water (log value) Not determine			
· Vapour pressure: Not determine	ed.		
Density and/or relative density			
Density at 20 °C: 1.025 g/cm ³			
· Relative density Not determine			
· Vapour density Not determine	ed.		
9.2 Other information			
· Appearance:			
· Form: Pasty			
Important information on protection of health			
and environment, and on safety.			
• Auto-ignition temperature: Product is not			
• Explosive properties: Product does	not present an explosion hazard.		
· Change in condition			
· Evaporation rate Not determine	ed.		
Information with regard to physical hazard			
classes			
· Explosives Void			
· Flammable gases Void			
· Aerosols Void			
· Oxidising gases Void			
· Gases under pressure Void			
Flammable liquids Void			
Flammable solids Void			
· Self-reactive substances and mixtures Void			
· Pyrophoric liquids Void			
Pyrophoric solids Void			
· Self-heating substances and mixtures Void			
Substances and mixtures, which emit flammable			
gases in contact with water Void			
· Oxidising liquids Void			
· Oxidising solids Void			

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/9 Printing date 05.01.2023

Revision: 05.01.2023 Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 5)

Organic peroxides
Corrosive to metals
Desensitised explosives

Void
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
Naphtha (petroleum), hydrotreated light			
LD50	5,000 mg/kg (rat)		
LD50	2,800 mg/kg (rabbit)		
LC50 (4 h)	>23.3 mg/l (rat)		
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%			
1			
LD50	>5,000 mg/kg (rat)		
LD50	>5,000 mg/kg (rabbit)		
Inhalative LC50 (4 h) 4,951 mg/l (rat)			
Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics, <2% aromatics			
LD50	>5,000 mg/kg (rat)		
LD50	>5,000 mg/kg (rabbit)		
LC50 (4 h)	>5,000 mg/l (rat)		
64-17-5 ethanol			
LD50	7,060 mg/kg (rat)		
LC50 (4 h)	20,000 mg/l (rat)		
	Detroleum) LD50 LD50 LC50 (4 h) Dons, C10-C LD50 LC50 (4 h) Dons, C11-C LD50 LD50 LD50 LD50 LD50 LD50 LD50 LD50		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 05.01.2023 Revision: 05.01.2023 Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 6)

Page 7/9

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

78-93-3 butanone

List II

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

FC50

>1,000 mg/l (daphnia)

LC50 (96 h) >1,000 mg/l (Oncorhynchus mykiss)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

- GB —



according to 1907/2006/EC, Article 31

Printing date 05.01.2023 Revision: 05.01.2023 Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 7)

Page 8/9

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Department issuing SDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Page 9/9

Printing date 05.01.2023 Revision: 05.01.2023

Version number 7 (replaces version 6)

Trade name: Gold & Silver Polish

(Contd. of page 8)

· Contact: labor@autosol.de

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

GB —