



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Liquid Wrench Lubricating Oil

Product code 6900, 6901

Unique Formula Identifier (UFI) HCP1-M0R1-500F-W135

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)

Intended for general public.

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd

Address of Manufacturer 29 Goldthorpe Ind. Est.,

Goldthorpe, Rotherham, South Yorkshire,

Postal code S63 9BL

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com

Office hours 08:00 - 17:00

Supplier

Company Identification Veedol Deutschland GmbH
Address of Supplier Hans-Böckler-Straße 10

Langenfeld, Germany

Postal code 40764

Telephone: +49 (0) 2173 893 30 30

Fax Not known.

E-mail lab@granvilleoil.com

Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099

Contact Granville Lab

National response centre

Address NHS Direct
Emergency Phone No. +44 111

#### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture

Page: 1 - 13 Revision: 1 - Replaces:



Date of Revision: 23-05-2023

# Liquid Wrench Lubricating Oil

Regulation (EC) No. 1272/2008 (CLP) Aerosol 1 :Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Irrit. 2: Causes skin irritation.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Liquid Wrench Lubricating Oil

Hazard Pictogram(s)



GHS02



Signal Word(s) Danger

Hazard Statement(s) H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/

122°F.

P501: Dispose of contents in accordance with local, state or national legislation.

EUH-statements EUH208 - Contains Benzenesulfonic acid, C10-C16 alkyl derivatives, calcium

salt(68584- 23-6). May produce an allergic reaction.

Unique Formula Identifier (UFI)

HCP1-M0R1-500F-W135

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures



HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Petroleum gases, liquefied[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately – 40 °C to 80 °C (– 40 °F to 176 °F).]	68476-85-7	No. 270-704-2	30-50	Flam. Gas 1A H220	GHS02
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		926-141-6	10-30	Asp. Tox. 1 H304	GHS08
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		921-024-6	10-30	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C6, isoalkanes, <5% n- hexane	64742-49-0	931-254-9 01- 2119484651- 34	1-10	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Sulfonic acids, petroleum, sodium salts	68608-26-4	271-781-5	1-10	Eye Irrit. 2 H319	GHS07
2-butoxyethanol; ethylene glycol monobutyl etherbutyl cellosolve	111-76-2	203-905-0	1-10	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332	GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration	M-	ATE
		Limit	factor	
2-butoxyethanol; ethylene glycol monobutyl	111-76-2			Acute Tox. 4 (H302) : 1200
etherbutyl cellosolve				(18th ATP)
				Acute Tox. 4 (H332) : 3 Vapour
				(18th ATP)



Date of Revision: 23-05-2023

# Liquid Wrench Lubricating Oil

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing.

Skin Contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation

occurs: Get medical advice/attention.

Eye Contact Rinse eyes with water as a precaution.

Ingestion Call a poison center or a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Fire hazard Extremely flammable aerosol.

Explosion hazard Pressurised container: May burst if heated.

Hazardous decomposition products in

case of fire

Toxic fumes may be released.

# 5.3 Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Emergency procedures Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact

with skin and eyes.

Protective equipment Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

#### 6.2 Environmental precautions

Avoid release to the environment.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Mechanically recover the product.

Other information Dispose of materials or solid residues at an authorized site.

6.4 Reference to other sections

See Also Section 8, 13.

Page: 4 - 13 Revision: 1 - Replaces:



Date of Revision: 23-05-2023

# Liquid Wrench Lubricating Oil

# SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Keep away from heat, hot surfaces,

sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid

contact with skin and eyes. Wear personal protective equipment.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using

this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Store in a well-ventilated place. Keep cool.

7.3 Specific end use(s)

Not known.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

# 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits							
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
Liquefied petroleum gas	68476-85-7	1000	1750	1250	2180	(f)	
2-Butoxyethanol	111-76-2	25	123	50	246	Sk, BMGV	

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

(f) Carc (only applies if LPG contains more than 0.1% of buta-1,3-diene)

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

toxicity.

BMGV Biological monitoring guidance values are listed in Table 2.

Biological Exposure Indices							
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments	
2-Butoxyethanol	111-76-2	Post shift	urine	butoxyacetic acid	240 mmol butoxyacetic acid/mol creatinine		

Remark Notes

#### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and

intrinsically safe electrical systems. Ensure adequate ventilation. A washing

facility/water for eye and skin cleaning purposes should be present.



Date of Revision: 23-05-2023

# **Liquid Wrench Lubricating Oil**

# 8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state Aerosol Colour Straw.

Odour Characteristic.

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not applicable.

boiling range

Flammability Extremely flammable aerosol.

Lower and upper explosion limitNot known.Flash Point< 23 °C</td>Auto-ignition temperatureNot known.Decomposition TemperatureNot known.pHNot known.Kinematic ViscosityNot known.

Solubility Solubility (Water): Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log N

value)

Not known.

Vapour pressure Not known.

Density and/or relative density Not known.

Relative vapour density Not known.

Particle characteristics Not known.

Explosive properties Pressurised container: May burst if heated.

9.2 Other information

% of flammable ingredients 54.244 %

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of

ignition.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 120000

Acute toxicity - Skin Contact Calculation method : Not classified.

Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 150

Skin corrosion/irritation Calculation method : Causes skin irritation.

Serious eye damage/irritation Calculation method: Not classified. Skin sensitization data Calculation method: Not classified. Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified. Calculation method: Not classified. Lactation Calculation method: Not classified. STOT - single exposure STOT - repeated exposure Calculation method: Not classified. Aspiration hazard Self classification: Not classified.

11.2 Information on other hazards

Not known.

# SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

# Granville Oil & Chemicals Ltd.

#### SAFETY DATA SHEET

Date of Revision: 23-05-2023

# **Liquid Wrench Lubricating Oil**

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

# SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

UN No. 1950

14.2 UN proper shipping name

UN proper shipping name AEROSOLS

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 2
ADR Classification Code 5F

Special Provisions 190 327 344 625

Limited Quantities 1 L
Excepted Quantities E0

**Emergency Action Code** 

Mixed Packing Instructions for Packages P207 LP200 Special Packing Provisions for Packages PP87 RR6 L2

Mixed Packing Instructions for Packages MP9

Revision: 1 - Replaces:

Packing Instructions for Portable Tanks

Special Provisions for Portable Tanks

Tank Code for Tanks

Special Provisions for Tanks

Vehicle for Tank Carriage

ADR Transport Category 2
Tunnel Restriction Code D
Special Provisions for Carriage - V14

**Packages** 

Special Provisions for Carriage - Bulk

Special Provisions for Carriage - Loading, CV9 CV12

Unloading and Handling

Special Provisions for Carriage - S2

Operation ADR HIN

**IMDG** 

IMDG Class 2

Special Provisions 190 327 344 625

Limited Quantities 1 L
Excepted Quantities E0

Mixed Packing Instructions for Packages P207 LP200 Special Packing Provisions for Packages PP87 RR6 L2

Packing Instructions for Portable Tanks

Special Provisions for Portable Tanks

IMDG EMSF-D, S-UStowage and HandlingSW1 SW22SegregationSG69

Marine Pollutant

ICAO/IATA

IATA Proper Shipping Name AEROSOLS

Excepted Quantities E0
Passenger and Cargo Aircraft Limited Y203

Quantities Packing Instructions

Passenger and Cargo Aircraft Limited 30Kg G

Quantities Max net Qty

Passenger and Cargo Aircraft Packing 203

Instructions

Passenger and Cargo Aircraft Max net 75Kg

Qty

Cargo Aircraft Packing Instructions 203
Cargo Aircraft Max net Qty 150Kg

Special Provisions A145, A167, A802

Emergency Response Guidebook (ERG) 10L

Code Labels



Date of Revision: 23-05-2023

# Liquid Wrench Lubricating Oil

Labels 2.1



# 14.4 Packing group

Packing group

#### 14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

#### 14.7 Maritime transport in bulk according to IMO instruments

No information available

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

High Concern for Authorisation

REACH: ANNEX XIV list of substances

subject to authorisation

REACH: Annex XVII Restrictions on the

manufacture, placing on the market and

use of certain dangerous substances,

mixtures and articles

Not listed

Not listed

Carcinogens: category 1A (68476-85-7), Mutagens: category 1B (64742-49-0),

 $Hydrocarbons,\,C11\text{-}C14,\,n\text{-}alkanes,\,isoalkanes,\,cyclics,\,<\!2\%\,\,aromatics\,(),$ 

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (), Sulfonic acids, petroleum, sodium salts (68608-26-4), 2-butoxyethanol; ethylene glycol

monobutyl etherbutyl cellosolve (111-76-2)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) N° 2019/1021 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

# SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

**LEGEND** 

Page: 10 - 13 Revision: 1 - Replaces:





#### Hazard Pictogram(s)





GHS08: GHS: Health hazard GHS09: GHS: Environment

Hazard classification Flam. Gas 1A: Flammable gas Category 1A

Aerosol 1: Aerosol, Category 1

Flam. Liq. 2 : Flammable liquid, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

Asp. Tox. 1: Aspiration hazard, Category 1

Skin Irrit. 2: Skin corrosion/irritation, Category 2

Eye Irrit. 2: Serious eye damage/irritation, Category 2

Acute Tox. 4: Acute toxicity, Category 4

STOT SE 3: Specific target organ toxicity — single exposure, Category 3

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2  $\,$ 

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s) H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P264: Wash hands and exposed skin thoroughly after handling.

Date of Revision: 23-05-2023

# Liquid Wrench Lubricating Oil

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P321: Specific treatment (see Medical Advice on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/

122°F.

P501: Dispose of contents in accordance with local, state or national legislation.

ADN: European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association

IBC : Intermediate Bulk Container

ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

 $\ensuremath{\mathsf{RID}}$  : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

**UN**: United Nations

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Disclaimers

Acronvms

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from

Page: 12 - 13 Revision: 1 - Replaces:

Date of Revision: 23-05-2023

# Liquid Wrench Lubricating Oil

reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 13 - 13 Revision: 1 - Replaces: