

according to 1907/2006/EC, Article 31

Page 1/10

Printing date 13.01.2023 Revision: 05.01.2023

Version number 41 (replaces version 40)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Bluing Remover
- · **UFI**: 2220-A0AJ-T001-QM60
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22 42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795

www.autosol.de

· Further information obtainable from:

Department Product Safety

labor@autosol.de

· 1.4 Emergency telephone number:

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: German & English

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





according to 1907/2006/EC, Article 31

Page 2/10

Printing date 13.01.2023

Revision: 05.01.2023 Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labelling:

hydrochloric acid

Alkohole, C9-11-iso-, C10-reich, ethoxyliert

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container in accordance with local regulations.

Additional information: Keep out of reach of children.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7647-01-0	hydrochloric acid	1-<10%
EINECS: 231-595-7 Reg.nr.: 01-2119484862-27	Skin Corr. 1B, H314; Eye Dam. 1, H318; <b>()</b> Acute Tox. 4, H302; STOT SE 3, H335	
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
	Skin Irrit. 2; H315: 10 % ≤ C <	
	25 %	
	Eye Irrit. 2; H319: 10 % ≤ C <	
	25 %	
	STOT SE 3; H335: C ≥ 10 %	
	(Conto	d. on page 3)

Contd. on page 3



according to 1907/2006/EC, Article 31

Page 3/10

Printing date 13.01.2023

Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

	(Conto	d. of page 2
CAS: 78330-20-8	CAS: 78330-20-8 Alkohole, C9-11-iso-, C10-reich, ethoxyliert	
	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	
CAS: 110-65-6	but-2-yne-1,4-diol	
EINECS: 203-788-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3,	
Reg.nr.: 01-2119489899-05-xxxx	H331; 🗞 STOT RE 2, H373; 🕎 Skin Corr. 1B, H314; 🕦 Skin	
	Sens. 1, H317	
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 50 %	
	Skin Irrit. 2; H315: 25 % ≤ C <	
	50 %	
	Eye Irrit. 2; H319: 25 % ≤ C <	
	50 %	
· Regulation (EC) No 648/2004 or	n detergents / Labelling for contents	-
non-ionic surfactants, soap, amphoteric surfactants		<5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

### **SECTION 6: Accidental release measures**

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Page 4/10

Printing date 13.01.2023 Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 3)

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 A
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with	limit values t	hat require	monitoring	at the workplace:

### 7647-01-0 hydrochloric acid

WEL Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

110-65-6 but-2-yne-1,4-diol

WEL Long-term value: 0.5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eves and skin.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Page 5/10

Printing date 13.01.2023 Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 4)

#### · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

100 °C

· Eye/face protection



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidWhite

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range

· Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

· Flash point: >100 °C

• **Decomposition temperature:** Not determined.

· pH at 20 °C 0.3

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/10

Printing date 13.01.2023

Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 5)

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Vapour pressure:

Density and/or relative density

Density at 20 °C: 1.229 g/cm<sup>3</sup> Not determined. · Relative density · Vapour density Not determined.

· 9.2 Other information

· Appearance:

Fluid

· Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. · Explosive properties:

Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void **Pyrophoric solids** Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in contact with water

Void · Oxidising liquids Void **Oxidising solids** Void Organic peroxides Void

· Corrosive to metals May be corrosive to metals.

 Desensitised explosives Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Page 7/10

Printing date 13.01.2023 Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 6)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
7647-01-0 hydrochloric acid		
Oral	LD50	900 mg/kg (rabbit)
110-65-6 but-2-yne-1,4-diol		
Oral	LD50	132 mg/kg (rat)
Dermal	LD50	659 mg/kg (rat)
Inhalative	LC50 (4 h)	0.69 mg/l (rat)

- Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

#### 110-65-6 but-2-yne-1,4-diol

EC50 (48 h) 26.79 mg/l (daphnia)

LC50 (96 h) 53.6 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Page 8/10

Printing date 13.01.2023 Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 7)

- · 12.7 Other adverse effects
- Additional ecological information:
- **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low waterdangerous.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· 14.4 Packing group

· ADR, IMDG, IATA

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1760	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID) CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	8 Corrosive substances.	
· Label	8	

Ш

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Page 9/10

Printing date 13.01.2023

Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

	(Contd. of page 8)
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids B SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IM instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 10)



according to 1907/2006/EC, Article 31

Page 10/10

Printing date 13.01.2023 Revision: 05.01.2023

Version number 41 (replaces version 40)

Trade name: Bluing Remover

(Contd. of page 9)

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

### **Department issuing SDS:**

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

Contact: labor@autosol.de

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

\* Data compared to the previous version altered.