

Burgess Marine Wooden Deck Cleaner

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name Burgess Marine Wooden Deck Cleaner
Product code 0824
Unique Formula Identifier (UFI) 9K82-X026-300C-4DMU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Cleaning agent.
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet**Manufacturer**

Company Identification Granville Oil & Chemicals Ltd
Address of Manufacturer 29 Goldthorpe Ind. Est.,
Goldthorpe,
Rotherham,
South Yorkshire,
Postal code S63 9BL
Telephone: +44 (0)1709 890099
Fax Not known.
E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

Supplier

Company Identification Veedol Deutschland GmbH
Address of Supplier Hans-Böckler-Straße 10
Langenfeld,
Germany

Postal code 40764
Telephone: +49 (0) 2173 893 30 30
Fax Not known.
E-mail lab@granvilleoil.com
Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099
Contact Granville Lab
National response centre
Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Burgess Marine Wooden Deck Cleaner

Regulation (EC) No. 1272/2008 (CLP) Skin Corr. 1 :Causes severe skin burns and eye damage.
 Eye Dam. 1 :Causes serious eye damage.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Burgess Marine Wooden Deck Cleaner
 Contains sodium hydroxide/caustic soda

Hazard Pictogram(s)



GHS05

Signal Word(s) Danger

Hazard Statement(s) H314: Causes severe skin burns and eye damage.

Precautionary Statement(s) P102: Keep out of reach of children.
 P264: Wash hands and exposed skin thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.
 P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor.
 P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

Unique Formula Identifier (UFI) 9K82-X026-300C-4DMU

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)

Burgess Marine Wooden Deck Cleaner

tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	<2	Acute Tox. 4 H302 Eye Dam. 1 H318 Acute Tox. 4 H332 STOT RE 2 H373	GHS05 GHS08 GHS07
sodium hydroxidecaustic soda	1310-73-2	215-185-5	<1.5	Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318	GHS05
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	147170-44-3	931-296-8	<0.5	Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05
Alcohols, C9-11, ethoxylated	68439-46-3	500-457-0	<0.5	Acute Tox. 4 H302 Eye Dam. 1 H318	GHS05 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-factor	ATE
tetrasodium ethylene diamine tetraacetate	64-02-8				Acute Tox. 4 (H302) : 500 Acute Tox. 4 (H332) : 11.000
sodium hydroxidecaustic soda	1310-73-2	Skin Corr. 1A	C>= 5.00 <= 100.00		
		Skin Corr. 1B	C>= 2.00 < 5.00		
		Skin Irrit. 2	C>= 0.50 < 2.00		
		Eye Irrit. 2	C>= 0.50 < 2.00		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	147170-44-3	Eye Dam. 1	C> 10.00 <= 100.00		
		Eye Irrit. 2	C> 4.00 <= 10.00		
Alcohols, C9-11, ethoxylated	68439-46-3				Acute Tox. 4 (H302) : 500
sodium hydroxidecaustic soda	1310-73-2	Skin Corr. 1A	C>= 5.00 <= 100.00		
		Skin Corr. 1B	C>= 2.00 < 5.00		

Burgess Marine Wooden Deck Cleaner

		Skin Irrit. 2	C>= 0.50 < 2.00		
		Eye Irrit. 2	C>= 0.50 < 2.00		

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a POISON CENTRE/doctor.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	Do not use water jet.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

Burgess Marine Wooden Deck Cleaner

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 Specific end use(s)

Cleaning agent.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Sodium hydroxide	1310-73-2				2	
Sodium hydroxide	1310-73-2				2	

Region Source
 United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).

Burgess Marine Wooden Deck Cleaner



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Green.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	> 11.5.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Soluble. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

Burgess Marine Wooden Deck Cleaner**10.5 Incompatible materials**

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 56818.18
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 1718.75
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Causes serious eye damage.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

Burgess Marine Wooden Deck Cleaner**12.6 Endocrine disrupting properties**

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION**14.1 UN number or ID number**

UN No. 1760

14.2 UN proper shipping name

UN proper shipping name CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 8

ADR Classification Code C9

Special Provisions 274

Limited Quantities 5 L

Excepted Quantities E1

Emergency Action Code 2X

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages

Mixed Packing Instructions for Packages MP19

Packing Instructions for Portable Tanks T7

Special Provisions for Portable Tanks TP1 TP28

Tank Code for Tanks L4BN

Special Provisions for Tanks

Vehicle for Tank Carriage AT

ADR Transport Category 3

Tunnel Restriction Code E

Special Provisions for Carriage - Packages V12

Special Provisions for Carriage - Bulk

Special Provisions for Carriage - Loading,

Unloading and Handling

Special Provisions for Carriage - Operation

ADR HIN 80

Burgess Marine Wooden Deck Cleaner**IMDG**

IMDG Class	8
Special Provisions	274
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1 TP28
IMDG EMS	F-A, S-B
Stowage and Handling	Category A SW2
Segregation	

Marine Pollutant**ICAO/IATA**

IATA Proper Shipping Name	CORROSIVE LIQUID, N.O.S.
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited	Y841
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	852
Instructions	
Passenger and Cargo Aircraft Max net	5L
Qty	
Cargo Aircraft Packing Instructions	856
Cargo Aircraft Max net Qty	60L
Special Provisions	A3, A803
Emergency Response Guidebook (ERG)	8L
Code	
Labels	
Labels	8

**14.4 Packing group**

Packing group	III
---------------	-----

14.5 Environmental hazards

Environmental hazards	Not classified as a Marine Pollutant.
-----------------------	---------------------------------------

14.6 Special precautions for user

Special precautions for user	Not known.
------------------------------	------------

14.7 Maritime transport in bulk according to IMO instruments

No information available

SECTION 15: REGULATORY INFORMATION

Burgess Marine Wooden Deck Cleaner

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles sodium hydroxide/caustic soda (1310-73-2), tetrasodium ethylene diamine tetraacetate (64-02-8), Alcohols, C9-11, ethoxylated (68439-46-3), 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05

GHS07: GHS: Exclamation mark

GHS08: GHS: Health hazard

Hazard classification

Met. Corr. 1 : Substance or mixture corrosive to metals, Category 1

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1 : Skin corrosion/irritation, Category 1

Skin Corr. 1A : Skin corrosion/irritation, Category 1A

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Burgess Marine Wooden Deck Cleaner

Acute Tox. 4 : Acute toxicity, Category 4

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H373: May cause damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

P321: Specific treatment (see Medical Advice on this label).

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

IATA : International Air Transport Association

IBC : Intermediate Bulk Container

ICAO : International Civil Aviation Organization

Burgess Marine Wooden Deck Cleaner

IMDG : International Maritime Dangerous Goods

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

UN : United Nations

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)
data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.