

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Product Name ATF Dexron VI
Product code 1569, 1570, 5622
Unique Formula Identifier (UFI) GPN0-V01J-400U-T22C

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Transmission Fluid.

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd.

Address of Manufacturer 29 Goldthorpe Ind. Est.,

Goldthorpe, Rotherham, South Yorkshire,

Postal code S63 9BL

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com

Office hours

Supplier

Company Identification Veedol Deutschland GmbH
Address of Supplier Hans-Böckler-Straße 10

Langenfeld, Germany

Postal code 40764

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com

Office hours 08:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099

Contact Granville Lab

National response centre

Address NHS Direct Emergency Phone No. +44 111

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Page: 1 - 11 Revision: 3.2 - Replaces: 3.1



Regulation (EC) No. 1272/2008 (CLP) Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name ATF Dexron VI

Hazard Pictogram(s) None.

Signal Word(s) None.

Hazard Statement(s) H412: Harmful to aquatic life with long lasting effects.

EUH208: Contains: (2-octadecenylsuccinic anhydride, thiodiethanol esterification

products) May produce an allergic reaction.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P273: Avoid release to the environment.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

GPN0-V01J-400U-T22C

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

# 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Lubricating oils (petroleum), C20-50,	72623-87-1	276-738-4	20-99	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-based Baseoil -					
unspecified					
Distillates (petroleum), hydrotreated light		265-158-7	<5	Asp. Tox. 1 H304	GHS08
paraffinic		01-			
		2119487077-			
		29			



lubricating oils (petroleum), C15-30,		276-737-9	<5	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-based		01-			0000
, and a calcal mean an embassa		2119474878-			
		16			
bis(nonylphenyl)amine		253-249-4	<b>&lt;</b> 5	Aquatic Chronic 4 H413	None
bis(nonyiphenyi)amine		01-	13	Aquatic Officials 4 11410	None
		2119488911-			
		28			
reaction mass of isomers of: C7-9-alkyl 3-(3,5-		406-040-9	<5	Aquatic Chronic 4 H413	None
di-tertbutyl-4- hydroxyphenyl)propionate		01-	-5	Aquatic Chionic 4 11413	INOITE
di-tertbutyi-4- ffydroxyphenyi)propionate		0000015551-			
		76			
Distillates (petroleum), solvent-dewaxed light	64742-56-9	265-159-2	<2	Asp. Tox. 1 H304	GHS08
paraffinic Baseoil - unspecified [A complex	04742-30-9	203-139-2	~2	/ASP. ТОХ. Т Т1304	011000
comination of hydrocarbons obtained by					
removal of normal paraffins from a petroleum					
fraction by solvent crystallization. It consists					
predominantly of hydrocarbons having carbon					
numbers predominantly in the range of C15					
through C30 and produces a finished oil with a					
viscosity of less than 100 SUS at 100 °F					
(19cSt at 40 °C).]			-r	Oldin limit O 11245	011007
Reaction products of fatty acids, C14-C18			<b>&lt;</b> 5	Skin Irrit. 2 H315	GHS07
(branched and linear) and C18 (unsaturated)		01-		Eye Irrit. 2 H319	
with tetraethylenepentamine (linear, branched,		2119960832-			
cyclic)		33	. 4	A (1 O) 1 O 11444	011000
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-			<1	Aquatic Chronic 2 H411	GHS09
isoalkyloxy) derivs., C10- rich		01-			
		2119969520-			
		35	. 4	A . T . A . U.O.4.O	011005
?, Reaction product of alkylthioalcohol and		424-820-7	<1	Acute Tox. 4 H312	GHS05
substituted phosphorus compound				Skin Corr. 1B H314	GHS07
				Aquatic Acute 1 H400	GHS09
				Aquatic Chronic 1 H410	
2 catadagan dayaninin subsudaida		200 424 2	-0.5	Chin Cone 4 11247	CUSOZ
2-octadecenylsuccinic anhydride,		299-434-3	<0.5	Skin Sens. 1 H317	GHS07
thiodiethanol esterification products				Eye Irrit. 2 H319	GHS09
				Aquatic Chronic 2 H411	
methyl-1H-benzotriazole		249-596-6	<1	Acute Tox. 4 H302	GHS08
		01-		Repr. 2 H361d	GHS07
	i .	1	1	1	1
		2119979081-		Aquatic Chronic 2 H411	GHS09



#### SAFETY DATA SHEET

Date of Revision: 14-03-2023

## **ATF Dexron VI**

HAZARDOUS INGREDIENT(S)	CAS No.	Specific	M-factor	ATE
		Concentration Limit		
?, Reaction product of alkylthioalcohol and			Aquatic	Acute Tox. 4 (H312) :
substituted phosphorus compound			Chronic 1: 10	1100.000
methyl-1H-benzotriazole				Acute Tox. 4 (H302) :
				500.000

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

comfortable for breathing..

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Wash out mouth with water.

# 4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media

Suitable Extinguishing media Foam, CO<sub>2</sub> or dry Powder.

Unsuitable extinguishing media Do not use water.

## 5.2 Special hazards arising from the substance or mixture

Heating may cause decomposition.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.



### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

#### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

# 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Transmission Fluid.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

### 8.2 Exposure controls

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).



Skin protection Not normally required.



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.



8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour Red.

Odour Characteristic odour.

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not known.

boiling range

Flammability

Lower and upper explosion limit

Flash Point

Not known.

>180 °C.

Auto-ignition temperature

Decomposition Temperature

Not known.

pH

Not known.

Kinematic Viscosity

Not known.

=29 mm²/s 40 °C

Solubility Solubility (Water): Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log Not known.

value)

Vapour pressure Not known.

Density and/or relative density Density (g/ml): 0.841 g/cm³ - Relative density: 15 °C.

Relative vapour density Not known.

Particle characteristics Not known.

9.2 Other information

None.

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.





## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE -

1000000.00000

Acute toxicity - Skin Contact Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE -

441767.06000

Acute toxicity - Inhalation Calculation method: Not classified. Skin corrosion/irritation Calculation method: Not classified. Serious eye damage/irritation Calculation method: Not classified. Skin sensitization data Calculation method: Not classified. Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified. Lactation Calculation method: Not classified. STOT - single exposure STOT - repeated exposure Calculation method: Not classified. Calculation method: Not classified. Aspiration hazard

11.2 Information on other hazards

Not known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

Date of Revision: 14-03-2023



### **ATF Dexron VI**

None known.

12.7 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point.

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

## **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed

High Concern for Authorisation

Not listed

REACH: ANNEX XIV list of substances

subject to authorisation

REACH: Annex XVII Restrictions on the Carcinogens: category 1B (72623-87-1), Carcinogens: category 1B (64742-56-9), Distillates (petroleum), hydrotreated light paraffinic (), lubricating oils (petroleum),

manufacture, placing on the market and use of certain dangerous substances,

C15-30, hydrotreated neutral oil-based (), bis(nonylphenyl)amine (), reaction mass

mixtures and articles

of isomers of: C7-9-alkyl 3-(3,5-di-tertbutyl-4- hydroxyphenyl)propionate (),





Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11- isoalkyloxy) derivs., C10- rich (), ?, Reaction product of alkylthioalcohol and substituted phosphorus compound (), Reaction products of fatty acids, C14-C18 (branched and linear) and C18 (unsaturated) with tetraethylenepentamine (linear, branched, cyclic) (), 2-octadecenylsuccinic anhydride, thiodiethanol esterification products (), methyl-1H-benzotriazole ()

Community Rolling Action Plan (CoRAP) Bis(nonylphenyl)amine (36878-20-3)

Regulation (EU) N° 2019/1021 of the

Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

## **LEGEND**

Hazard Pictogram(s) None.

GHS05: GHS: Corrosion

GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification Acute Tox. 4 : Acute toxicity, Category 4

Asp. Tox. 1: Aspiration hazard, Category 1

Acute Tox. 4: Acute toxicity, Category 4

Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1: Skin sensitization, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Repr. 2 : Reproductive toxicity, Category 2



14-03-2023



#### ATF Dexron VI

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment, Chronic, Category 4

Hazard Statement(s)

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361d: Suspected of damaging the unborn child.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

Precautionary Statement(s)

P102: Keep out of reach of children.

P103: Read label before use.

P273: Avoid release to the environment.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative





Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 11 - 11 Revision: 3.2 - Replaces: 3.1