# Granville
# ATF Dexron VI

**1 Litre, 5 Litre & 20 Litre**




* Image for illustrative purposes only.

## PRODUCT DESCRIPTION

Granville ATF Dexron VI is a specially formulated low viscosity fully synthetic, high performance automatic transmission fluid formulated to withstand and protect against extreme wear and heat build up offering smoother gear change.

## RECOMMENDED FOR USE BY GRANVILLE FOR THE FOLLOWING MANUFACTURER'S SPECIFICATIONS

GM: Dexron VI & 1940773
Ford: Mercon® LV
Toyota: WS
Nissan: Matic S, Matic J, Matic K, Matic 402 & Matic D
Saab: 93 165 147
Honda: DW-1 & ATF-Z1
Hyundai: ATF SP-IV & NWS-9638
Kia: ATF SP-IV
Mitsubishi: ATF SP-IV & ATF J2
JWS: 3324
Aisin Warner: AW-1
JASO: 1-A
MB: 236.10, 236.12, 236.14, 236.41 & 236.17
BMW/Mini: 83 22 2 152 426
Suzuki: 3314 & 3317
VW: G 052 162, G 052 990, G 055 162 & G 060 162
Volvo: 97341

| SIZE | PART NO | BARCODE |
|---|---|---|
| **1 Litre** | 1569 | 5020618015697 |
| **5 Litre** | 1570 | 5020618015703 |
| **20 Litre** | 1592 | 5020618015925 |

## PRODUCT BENEFITS

* Low viscosity formulation
* Fully synthetic
* Excellent heat & wear control.

## PRODUCT USAGE

For vehicles were this specification product is recommended.

HIGH PERFORMANCE
PREMIUM QUALITY

AUTOMOTIVE LUBRICANTS • QUALITY CHEMICALS • PREMIER BRANDS

**Granville Oil & Chemicals Ltd.**
29 Goldthorpe Ind. Est., Goldthorpe, Rotherham S63 9BL ENGLAND
Tel: +44 (0)1709 890099 • Web: www.granvilleoil.com

# Granville
# ATF Dexron VI

**1 Litre, 5 Litre & 20 Litre**

## DIRECTIONS FOR USE

As per the vehicle manufacturers recommendations.

## STORAGE INSTRUCTIONS

Keep sealed in a cool, dry place.

## SHELF LIFE

5 years from date of manufacture.

## SPECIFICATION INFORMATION

GM: Dexron VI
Ford: Mercon LV
JASO: 1-A
Aisin Warner: AW-1. Honda: DW-1
Hyundai/Kia: SP-IV
Hyundai: NWS-9638. JWS 3324.
Mitsubishi: SP-IV, ATF J2.
Nissan: Matic-S. Saab: 93 165 147
Toyota: WS

| | | |
|---|---|---|
| **Appearance** | : | Red liquid |

AUTOMOTIVE LUBRICANTS • QUALITY CHEMICALS • PREMIER BRANDS




**Granville Oil & Chemicals Ltd.**
29 Goldthorpe Ind. Est., Goldthorpe, Rotherham S63 9BL ENGLAND
Tel: +44 (0)1709 890099 • Web: www.granvilleoil.com

# Granville
# ATF Dexron VI

**1 Litre, 5 Litre & 20 Litre**

**Odour** : Characteristic

**Solubility** : Insoluble in water

**Flammability** : >200°C

| Test | Method | Unit | Min. | Max. | Typical |
|---|---|---|---|---|---|
| Viscosity, Kinematic 100°c | ASTM D445 | $mm^2/s$ | 4.5 | 6.4 | 6.2 |
| Viscosity, Kinematic 40°c | ASTM D445 | $mm^2/s$ | | 32 | |
| Viscosity, CCS | ASTM D4684 | mPa.s | | 0 | |

## SAFETY PRECAUTIONS

Please see our latest EC Safety Data Sheets for details.

## TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

AUTOMOTIVE LUBRICANTS • QUALITY CHEMICALS • PREMIER BRANDS

HIGH PERFORMANCE PREMIUM QUALITY

**Granville Oil & Chemicals Ltd.**
29 Goldthorpe Ind. Est., Goldthorpe, Rotherham S63 9BL ENGLAND
Tel: +44 (0)1709 890099 • Web: www.granvilleoil.com